

TSR/TSU/TSM I.S. Battery Pack Replacement Instructions

TankScan | Powered by AquaPhoenix

⚠ WARNING – EXPLOSION HAZARD: DO NOT REPLACE BATTERY PACK WHEN AN EXPLOSIVE ATMOSPHERE IS PRESENT.

⚠ AVERTISSEMENT: NE PAS REMPLACER LES ACCUMULATEURS SI UNE ATMOSPHERE EXPLOSIVE PEUT ÊTRE PRÉSENTE.

If necessary, remove monitor from tank and take to unclassified/non-hazardous area before removing enclosure cover.


⚠ WARNING: ONLY USE BATTERY PACK #TSTRB02000

⚠ AVERTISSEMENT: UTILISER UNIQUEMENT DES ACCUMULATEURS ATEK #TSTRB02000

Battery Pack Replacement

- 1 Ensure monitor is in a non-explosive atmosphere. If needed, remove monitor from tank and move it to a non-explosive environment.
- 2 Unscrew enclosure cover. Disconnect battery cable from printed circuit board and remove used battery pack.
⚠ WARNING: DO NOT OPEN WHEN AN EXPLOSIVE ATMOSPHERE IS PRESENT
⚠ AVERTISSEMENT: NE PAS OUVRIR EN CAS DE PRESENCE D'ATMOSPHERE EXPLOSIVE
- 3 Remove foam pieces that were in housing under original battery pack (if present).
- 4 Insert new battery pack and reconnect battery cable. Make sure two foam pieces are on top of battery pack. Only use battery pack - part # TSTRB02000.
- 5 After reconnecting battery cable a test LED D206 will light. Monitor will take a level reading and then report to Intelligence Platform (AIP). Once monitor has finished reporting its level measurement, test LED will go out. If report was not successful then LED will flash for a few seconds before going out.
- 6 Re-install cover. Ensure battery cable wiring is not pinched when cover is re-installed.
- 7 Reinstall monitor on tank.

**For questions or problems,
Contact TankScan Technical Support 877-847-7226**



223-0189-001 Rev. B 7/14



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

AquaPhoenix Scientific
860 Gitts Run Road
Hanover, PA 17331

PH: 877-847-7226

www.tankscan.com



AquaPhoenix®
S C I E N T I F I C

©2025 AquaPhoenix. All Rights Reserved. TankScan images and marketing materials are protected by various patents, copyrights and/or trademarks. AquaPhoenix assumes no responsibility for any errors which may appear in this document, reserves the right to change devices or specifications detailed herein at any time without notice, and does not make any commitment to update the information contained herein. No licenses to patents or other intellectual property of AquaPhoenix are granted by the Company in connection with the sale of TankScan products, expressly or by implication.